

TRACKED EXCAVATORS | 370X

 **JCB**



**TESTED
TO EXTREMES**

MAX OPERATING
WEIGHT
87,417lb

MAX ENGINE
POWER
322hp (240kW)

MAX BUCKET
CAPACITY
2.7yd³ (2.34m³)

EXCEPTIONAL PERFORMANCE

We've enhanced the engine, refined the hydraulics and added a host of advanced features to maximize productivity and help you get the job done efficiently.



PROVEN RELIABILITY

A 240kW Cummins L9 engine, new Japanese hydraulic system and improved lift performance and stability provide optimal operation.

EXTREME STRENGTH

The 370X needs to be strong enough to meet the demands of any application. That's why it's undergone an extensive 4-year testing program for ultimate strength and reliability.



STRENGTH BY DESIGN

An all-new dig end with reinforced structures and updated slew ring, significantly enhance performance.

EXEMPLARY SAFETY

Your safety matters. That's why we offer a twin camera, ROPS cabin protection and LED work lights as standard.



SAFER ACCESS

Ergonomic grab handles and side-guard rails provide safer access to the upper structure.



EXCEEDINGLY COMFORTABLE & EASY

We've put the operator first and made the 370X even more comfortable with many new cab features, with high quality injection moulded interior and fully-adjustable seat.



INTRODUCING JCBUX

A sleek and intuitive 10" touch screen display with customizable operator profiles and bespoke hotkeys.


EXTREMELY COST-EFFECTIVE

Engine and hydraulic enhancements enable the 370X to move material faster and more efficiently. Longer service schedules mean a lower total cost of ownership too.



EXTRA EFFICIENT

Boom float allows smooth grading on harsh surfaces and improved breaker efficiency.



TRACKED EXCAVATORS | 370X



SPECIFICATION

MODEL	370X
Max. engine power	322hp (240kW)
Tractive effort	210,541 lbf
Max. digging reach	475in (127.1in dipper)
Max. digging depth	330in (127.1in dipper)
Max. operating weight	87,417lb
Max. bucket tearout	56,067lbf



STANDARD FEATURES

- Climate control
- Heated air suspension seat
- Seat mounted joystick controls
- Widecore radiator
- Reversing fan
- 240kW Cummins engine
- Automatic engine shutdown
- 2,000hr hydraulic & air filter life
- 10" Touch screen display
- Bluetooth Radio

The JCB logo is positioned in the top right corner of the image. It consists of the letters 'JCB' in a bold, white, sans-serif font, set against a black rectangular background. This background is itself set within a larger yellow rectangular frame.

370X TRACKED EXCAVATOR

[FIND OUT MORE](#)



[REQUEST A QUOTE](#)

The JCB logo is centered at the bottom of the page. It features the letters 'JCB' in a large, bold, white, sans-serif font, set against a black rectangular background. This background is itself set within a larger yellow rectangular frame.

www.jcb.com

